

Status message

- The Search API module was installed. A new default node index was created.

- The configuration options have been saved.

Warning message

No update information available. [Run cron](#) or [check manually](#).

Download additional [contributed modules](#) to extend Drupal's functionality.

Regularly review and install [available updates](#) to maintain a secure and current site. Always run the [update script](#) each time a module is updated.

- [Install new module](#)

HIDECORE

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Aggregator	7.41	Aggregates syndicated content (RSS, RDF, and Atom feeds).	
<input type="checkbox"/>	Block	7.41	Controls the visual building blocks a page is constructed with. Blocks are boxes of content rendered into an area, or region, of a web page. Required by: Dashboard (enabled)	Help Permissions Configure
<input type="checkbox"/>	Blog	7.41	Enables multi-user blogs.	
<input type="checkbox"/>	Book	7.41	Allows users to create and organize related content in an outline.	
<input type="checkbox"/>	Color	7.41	Allows administrators to change the color scheme of compatible themes. Required by: Stylizer (disabled)	Help
<input type="checkbox"/>	Comment	7.41	Allows users to comment on and discuss published content. Requires: Text (enabled), Field (enabled), Field SQL storage (enabled) Required by: Forum (disabled), Tracker (disabled)	Help Permissions Configure

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Contact	7.41	Enables the use of both personal and site-wide contact forms.	
<input type="checkbox"/>	Content translation	7.41	Allows content to be translated into different languages. Requires: Locale (disabled)	
<input type="checkbox"/>	Contextual links	7.41	Provides contextual links to perform actions related to elements on a page.	Help Permissions
<input type="checkbox"/>	Dashboard	7.41	Provides a dashboard page in the administrative interface for organizing administrative tasks and tracking information within your site. Requires: Block (enabled)	Help Permissions Configure
<input type="checkbox"/>	Database logging	7.41	Logs and records system events to the database.	Help
<input type="checkbox"/>	Field	7.41	Field API to add fields to entities like nodes and users. Requires: Field SQL storage (enabled), Field (enabled) Required by: Drupal, Field SQL storage (enabled), Field (enabled), Text (enabled), Comment (enabled), File (enabled), Image (enabled), Options (enabled), Taxonomy (enabled), Field UI (enabled), Forum (disabled), IKSce Demo (enabled), IKSce Content (disabled), List (enabled), Number (enabled), Tracker (disabled)	Help
<input type="checkbox"/>	Field SQL storage	7.41	Stores field data in an SQL database. Requires: Field (enabled), Field SQL storage (enabled) Required by: Drupal, Field SQL storage (enabled), Field (enabled), Text (enabled), Comment (enabled), File (enabled), Image (enabled), Options (enabled), Taxonomy (enabled), Field UI (enabled), Forum (disabled), IKSce Demo (enabled), IKSce Content (disabled), List (enabled), Number (enabled), Tracker (disabled)	Help

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Field UI	7.41	User interface for the Field API. Requires: Field (enabled), Field SQL storage (enabled)	Help
<input type="checkbox"/>	File	7.41	Defines a file field type. Requires: Field (enabled), Field SQL storage (enabled) Required by: Image (enabled), IKScce Demo (enabled), IKScce Content (disabled)	Help
<input type="checkbox"/>	Filter	7.41	Filters content in preparation for display. Required by: Drupal, IKScce Demo (enabled), IKScce Content (disabled)	Help Permissions Configure
<input type="checkbox"/>	Forum	7.41	Provides discussion forums. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Comment (enabled), Text (enabled)	
<input type="checkbox"/>	Help	7.41	Manages the display of online help.	Help
<input type="checkbox"/>	Image	7.41	Provides image manipulation tools. Requires: File (enabled), Field (enabled), Field SQL storage (enabled) Required by: Drupal (Field type(s) in use - see Field list), IKScce Demo (enabled), IKScce Content (disabled)	Help Permissions Configure
<input type="checkbox"/>	List	7.41	Defines list field types. Use with Options to create selection lists. Requires: Field (enabled), Field SQL storage (enabled), Options (enabled)	Help
<input type="checkbox"/>	Locale	7.41	Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Content translation (disabled)	
<input type="checkbox"/>	Menu	7.41	Allows administrators to customize the site navigation menu. Required by: Default Content	Help Permissions Configure

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Node	7.41	(disabled), IKScE Content (disabled) Allows content to be submitted to the site and displayed on pages. Required by: Drupal, IKScE Demo (enabled), IKScE Content (disabled)	Help Permissions Configure
<input type="checkbox"/>	Number	7.41	Defines numeric field types. Requires: Field (enabled), Field SQL storage (enabled)	Help
<input type="checkbox"/>	OpenID	7.41	Allows users to log into your site using OpenID.	
<input type="checkbox"/>	Options	7.41	Defines selection, check box and radio button widgets for text and numeric fields. Requires: Field (enabled), Field SQL storage (enabled) Required by: Taxonomy (enabled), Forum (disabled), IKScE Demo (enabled), IKScE Content (disabled), List (enabled)	Help
<input type="checkbox"/>	Overlay	7.41	Displays the Drupal administration interface in an overlay.	Help Permissions
<input type="checkbox"/>	Path	7.41	Allows users to rename URLs.	Help Permissions Configure
<input type="checkbox"/>	PHP filter	7.41	Allows embedded PHP code/snippets to be evaluated.	
<input type="checkbox"/>	Poll	7.41	Allows your site to capture votes on different topics in the form of multiple choice questions.	
<input type="checkbox"/>	RDF	7.41	Enriches your content with metadata to let other applications (e.g. search engines, aggregators) better understand its relationships and attributes. Required by: RDFx (enabled), External RDF Vocabulary Importer (disabled), Stanbol search API integration (indexing only) (enabled), IKScE Demo (enabled), IKScE Content (disabled), RDF UI (disabled)	Help
<input type="checkbox"/>	Search	7.41	Enables site-wide keyword searching.	Help Permissions Configure
<input type="checkbox"/>	Shortcut	7.41	Allows users to manage customizable lists of shortcut	Help Permissions Configure

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
			links.	
<input type="checkbox"/>	Statistics	7.41	Logs access statistics for your site.	
<input type="checkbox"/>	Syslog	7.41	Logs and records system events to syslog.	
<input type="checkbox"/>	System	7.41	Handles general site configuration for administrators. Required by: Drupal, Administration menu (disabled), Administration menu Toolbar style (disabled), Libraries (enabled), Backbone Library (enabled), Backbone (enabled), Backbone Services (disabled), Backbone Example (disabled), Backbone RestWS (disabled), Backbone RestWS Examples (disabled), VIE.js (enabled), IKScE Annotate (enabled), VIE.js autocomplete (enabled), IKScE Demo (enabled), IKScE Content (disabled)	Help Permissions Configure
<input type="checkbox"/>	Taxonomy	7.41	Enables the categorization of content. Requires: Options (enabled), Field (enabled), Field SQL storage (enabled) Required by: Drupal (Field type(s) in use - see Field list), Forum (disabled), IKScE Demo (enabled), IKScE Content (disabled)	Help Permissions Configure
<input type="checkbox"/>	Testing	7.41	Provides a framework for unit and functional testing.	
<input type="checkbox"/>	Text	7.41	Defines simple text field types. Requires: Field (enabled), Field SQL storage (enabled) Required by: Drupal (Field type(s) in use - see Field list), Comment (enabled), Forum (disabled), IKScE Demo (enabled), IKScE Content (disabled), Tracker (disabled)	Help
<input type="checkbox"/>	Toolbar	7.41	Provides a toolbar that shows the top-level administration menu items and links from other	Help Permissions

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
			modules.	
<input type="checkbox"/>	Tracker	7.41	Enables tracking of recent content for users. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)	
<input type="checkbox"/>	Trigger	7.41	Enables actions to be fired on certain system events, such as when new content is created.	
<input type="checkbox"/>	Update manager	7.41	Checks for available updates, and can securely install or update modules and themes via a web interface.	Help Configure
<input type="checkbox"/>	User	7.41	Manages the user registration and login system. Required by: Drupal	Help Permissions Configure

HIDEADMINISTRATION

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIO NS
<input type="checkbox"/>	Administration Development tools	7.x-3.0-rc5	Administration and debugging functionality for developers and site builders.	
<input type="checkbox"/>	Administration menu	7.x-3.0-rc5	Provides a dropdown menu to most administrative tasks and other common destinations (to users with the proper permissions). Requires: System (enabled) Required by: Administration menu Toolbar style (disabled)	
<input type="checkbox"/>	Administration menu Toolbar style	7.x-3.0-rc5	A better Toolbar. Requires: Administration menu (disabled), System (enabled)	
<input type="checkbox"/>	Module filter	7.x-2.0	Filter the modules list.	

HIDEBACKBONE

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Backbone	7.x-1.x-dev	Backbone.js for Drupal! Requires: jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled) Required by: Backbone Services (disabled), Backbone Example (disabled), Backbone RestWS (disabled), Backbone RestWS Examples (disabled), VIE.js (enabled), IKScE Annotate (enabled), VIE.js autocomplete (enabled), IKScE Demo	Help Permissions

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Backbone Base	7.x-1.x-dev	(enabled), IKScce Content (disabled) Feature with base setup for Backbone module, with REST endpoint. Requires: Chaos tools (enabled), Rest_server (missing), Services (missing), Services_views (missing), Views (missing) Required by: Backbone Services (disabled), Backbone Example (disabled)	
<input type="checkbox"/>	Backbone Example	7.x-1.x-dev	An example Backbone.js app showcasing standard design patterns. Requires: Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled), Backbone Services (disabled), Services (missing), Rest_server (missing), Backbone Base (disabled), Chaos tools (enabled), Services_views (missing), Views (missing)	
<input type="checkbox"/>	Backbone Library	7.x-1.x-dev	Backbone.js Library for Drupal! Requires: Libraries (enabled), System (enabled) Required by: Backbone (enabled), Backbone Services (disabled), Backbone Example (disabled), Backbone RestWS (disabled), Backbone RestWS Examples (disabled), VIE.js (enabled), IKScce Annotate (enabled), VIE.js autocomplete (enabled), IKScce Demo (enabled), IKScce Content (disabled)	
<input type="checkbox"/>	Backbone RestWS	7.x-1.x-dev	Provides default Backbone models, collections and settings for working with RestWS-based APIs. Requires: Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled), RESTful web services (enabled), Entity API (enabled)	
<input type="checkbox"/>	Backbone RestWS Examples	7.x-1.x-dev	Working code examples using Backbone and RestWS (adapted from the Backbone in the Front End presentation at Drupalcon Munich 2012). Requires: Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled), RESTful web services (enabled), Entity API (enabled)	

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
-------------	------	-------------	-------------	------------

<input type="checkbox"/>	Backbone Services	7.x-1.x-dev	<p>Provides default Backbone models, collections and settings for working with Services-based APIs.</p> <p>Requires: Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled), Services (missing), Rest_server (missing), Backbone Base (disabled), Chaos tools (enabled), Services_views (missing), Views (missing)</p> <p>Required by: Backbone Example (disabled)</p>	
--------------------------	--------------------------	-------------	--	--

HIDECHAOS TOOL SUITE

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIO NS
-------------	------	-------------	-------------	----------------

<input type="checkbox"/>	Bulk Export	7.x-1.9	<p>Performs bulk exporting of data objects known about by Chaos tools.</p> <p>Requires: Chaos tools (enabled)</p>	
--------------------------	--------------------	---------	--	--

<input type="checkbox"/>	Chaos tools	7.x-1.9	<p>A library of helpful tools by Merlin of Chaos.</p> <p>Required by: Backbone Base (disabled), Backbone Services (disabled), Backbone Example (disabled), Bulk Export (disabled), Custom rulesets (disabled), Chaos Tools (CTools) AJAX Example (disabled), Custom content panes (disabled), Page manager (disabled), Chaos Tools (CTools) Plugin Example (disabled), Default Content (disabled), Entity Reference (enabled), Entity Reference Behavior Example (disabled), Strongarm (enabled), IKScce Demo (enabled), IKScce Content (disabled), Stylizer (disabled), Term Depth access (disabled), Views content panes (disabled)</p>	Permissions
--------------------------	--------------------	---------	---	-----------------------------

<input type="checkbox"/>	Chaos Tools (CTools) AJAX Example	7.x-1.9	<p>Shows how to use the power of Chaos AJAX.</p> <p>Requires: Chaos tools (enabled)</p>	
--------------------------	--	---------	--	--

<input type="checkbox"/>	Chaos Tools (CTools) Plugin Example	7.x-1.9	<p>Shows how an external module can provide ctools plugins (for Panels, etc.).</p> <p>Requires: Chaos tools (enabled), Panels (missing), Page manager (disabled), Advanced_help (missing)</p>	
--------------------------	--	---------	---	--

<input type="checkbox"/>	Custom content panes	7.x-1.9	<p>Create custom, exportable, reusable content panes for applications like Panels.</p> <p>Requires: Chaos tools (enabled)</p>	
--------------------------	-----------------------------	---------	--	--

<input type="checkbox"/>	Custom	7.x-1.9	Create custom, exportable, reusable access	
--------------------------	---------------	---------	--	--

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIO NS
	rulesets		rulesets for applications like Panels. Requires: Chaos tools (enabled)	
<input type="checkbox"/>	Page manager	7.x-1.9	Provides a UI and API to manage pages within the site. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled)	
<input type="checkbox"/>	Stylizer	7.x-1.9	Create custom styles for applications such as Panels. Requires: Chaos tools (enabled), Color (enabled)	
<input type="checkbox"/>	Term Depth access	7.x-1.9	Controls access to context based upon term depth Requires: Chaos tools (enabled)	
<input type="checkbox"/>	Views content panes	7.x-1.9	Allows Views content to be used in Panels, Dashboard and other modules which use the CTools Content API. Requires: Chaos tools (enabled), Views (missing)	

HIDEFEATURES

ENABL ED	NAME	VERSIO N	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Default Content	7.x-1.0-alpha9	Allows import/export of default content. Requires: Features (enabled), Chaos tools (enabled), Menu (enabled) Required by: IKScce Content (disabled)	
<input type="checkbox"/>	Features	7.x-2.7	Provides feature management for Drupal. Required by: Default Content (disabled), IKScce Demo (enabled), IKScce Content (disabled)	Help Permissions Configure

HIDEFIELDS

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIO NS
<input type="checkbox"/>	Entity Reference	7.x-1.1	Provides a field that can reference other entities. Requires: Entity API (enabled), Chaos tools (enabled) Required by: Drupal (Field type(s) in use - see Field list), Entity Reference Behavior Example (disabled), IKScce Demo (enabled), IKScce Content (disabled)	
<input type="checkbox"/>	Entity Reference Behavior	7.x-1.1	Provides some example code for implementing Entity Reference behaviors. Requires: Entity Reference (enabled), Entity	

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIO NS
	Example		API (enabled), Chaos tools (enabled)	
<input type="checkbox"/>	Link	7.x-1.4	Defines simple link field types. Required by: Drupal (Field type(s) in use - see Field list), IKSce Demo (enabled), IKSce Content (disabled)	

HIDEIKSCE DEMO

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIO NS
<input type="checkbox"/>	IKSce Annotate		Integrates annotate.js with the nicEdit editor. Requires: VIE.js (enabled), Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled) Required by: IKSce Demo (enabled), IKSce Content (disabled)	
<input type="checkbox"/>	IKSce Demo		Requires: Chaos tools (enabled), Entity API (enabled), Entity RDF (enabled), Entity tokens (enabled), Entity Reference (enabled), Features (enabled), Field SQL storage (enabled), Field (enabled), Filter (enabled), IKSce Annotate (enabled), VIE.js (enabled), Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled), Image (enabled), File (enabled), Link (enabled), Node (enabled), Options (enabled), RDFx (enabled), RDF (enabled), RESTful web services (enabled), Search API (enabled), Stanbol search API integration (indexing only) (enabled), Strongarm (enabled), Taxonomy (enabled), Text (enabled), VIE.js autocomplete (enabled), Wysiwyg (enabled) Required by: IKSce Content (disabled)	

HIDEOTHER

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Basic authentication login	7.x-2.4	User login from HTTP authorization headers (part of RESTful web services).	
<input type="checkbox"/>	Entity API	7.x-1.6	Enables modules to work with any entity type and to provide entities Required by: RESTful web services (enabled), Backbone RestWS (disabled), Backbone RestWS Examples (disabled), Entity RDF (enabled), Entity tokens (enabled), Entity Reference (enabled), Entity Reference Behavior Example (disabled), RDFx (enabled), External	

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
			RDF Vocabulary Importer (disabled), Search API (enabled), Stanbol search API integration (indexing only) (enabled), IKSce Demo (enabled), IKSce Content (disabled), RDF UI (disabled), Search facets (disabled), Search views (disabled)	
<input type="checkbox"/>	Entity RDF	7.x-1.x-dev	Describes entity properties in RDF. Requires: Entity API (enabled) Required by: IKSce Demo (enabled), IKSce Content (disabled)	
<input type="checkbox"/>	Entity tokens	7.x-1.6	Provides token replacements for all properties that have no tokens and are known to the entity API. Requires: Entity API (enabled) Required by: IKSce Demo (enabled), IKSce Content (disabled)	
<input type="checkbox"/>	IKSce Content		Requires: Default Content (disabled), Features (enabled), Chaos tools (enabled), Menu (enabled), IKSce Demo (enabled), Entity API (enabled), Entity RDF (enabled), Entity tokens (enabled), Entity Reference (enabled), Field SQL storage (enabled), Field (enabled), Filter (enabled), IKSce Annotate (enabled), VIE.js (enabled), Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled), Image (enabled), File (enabled), Link (enabled), Node (enabled), Options (enabled), RDFx (enabled), RDF (enabled), RESTful web services (enabled), Search API (enabled), Stanbol search API integration (indexing only) (enabled), Strongarm (enabled), Taxonomy (enabled), Text (enabled), VIE.js autocomplete (enabled), Wysiwyg (enabled)	
<input type="checkbox"/>	Libraries	7.x-2.2	Allows version-dependent and shared usage of external libraries. Requires: System (enabled) Required by: Backbone Library (enabled), Backbone (enabled), Backbone Services (disabled), Backbone Example (disabled), Backbone RestWS (disabled), Backbone RestWS Examples	

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIONS
			(disabled), VIE.js (enabled), IKScce Annotate (enabled), VIE.js autocomplete (enabled), IKScce Demo (enabled), IKScce Content (disabled)	
<input type="checkbox"/>	RESTful web services	7.x-2.4	Provides RESTful web services. Requires: Entity API (enabled) Required by: Backbone RestWS (disabled), Backbone RestWS Examples (disabled), IKScce Demo (enabled), IKScce Content (disabled)	Permissions
<input type="checkbox"/>	Strongarm	7.x-2.0	Enforces variable values defined by modules that need settings set to operate properly. Requires: Chaos tools (enabled) Required by: IKScce Demo (enabled), IKScce Content (disabled)	Help
<input type="checkbox"/>	VIE.js	7.x-1.x-dev	Integrates the VIE.js javascript library. Requires: Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled) Required by: IKScce Annotate (enabled), VIE.js autocomplete (enabled), IKScce Demo (enabled), IKScce Content (disabled)	
<input type="checkbox"/>	VIE.js autocomplete	7.x-1.x-dev	A VIE.js autocomplete widget for term references. Requires: VIE.js (enabled), Backbone (enabled), jQuery Update (enabled), Libraries (enabled), System (enabled), Backbone Library (enabled) Required by: IKScce Demo (enabled), IKScce Content (disabled)	

HIDERDF

ENABL ED	NAME	VERSIO N	DESCRIPTION	OPERATIO NS
<input type="checkbox"/>	External RDF Vocabulary Importer	7.x-2.0-alpha4	Allows to import external Vocabularies in order to map them to Drupal data structure. Requires: RDFx (enabled), RDF (enabled), Entity API (enabled)	
<input type="checkbox"/>	RDF UI	7.x-2.0-alpha4	User interface for altering the RDF mapping of Drupal data structure. Requires: RDFx (enabled), RDF (enabled), Entity API (enabled)	
<input type="checkbox"/>	RDFx	7.x-2.0-alpha4	Extends the RDF mapping API of Drupal core to provide more RDF seralization	Permissions

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
			formats and other RDF capabilities. Requires: RDF (enabled), Entity API (enabled) Required by: External RDF Vocabulary Importer (disabled), Stanbol search API integration (indexing only) (enabled), IKScE Demo (enabled), IKScE Content (disabled), RDF UI (disabled)	

HIDESEARCH

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Search API	7.x-1.16	Provides a generic API for modules offering search capabilities. Requires: Entity API (enabled) Required by: Stanbol search API integration (indexing only) (enabled), IKScE Demo (enabled), IKScE Content (disabled), Search facets (disabled), Search views (disabled)	Help Permissions Configure
<input type="checkbox"/>	Search facets	7.x-1.16	Integrate the Search API with the Facet API to provide faceted searches. Requires: Search API (enabled), Entity API (enabled), Facetapi (missing)	
<input type="checkbox"/>	Search views	7.x-1.16	Integrates the Search API with Views, enabling users to create views with searches as filters or arguments. Requires: Search API (enabled), Entity API (enabled), Views (missing)	
<input type="checkbox"/>	Stanbol search API integration (indexing only)	7.x-1.0-alpha1	Allows to index Drupal RDF data in Stanbol EntityHub. Requires: RDFx (enabled), RDF (enabled), Entity API (enabled), Search API (enabled) Required by: Drupal (Service class in use by the following server: Stanbol default server.), IKScE Demo (enabled), IKScE Content (disabled)	

HIDEUSER INTERFACE

ENABL ED	NAME	VERSI ON	DESCRIPTION	OPERATIO NS
<input type="checkbox"/>	jQuery Update	7.x-2.7	Update jQuery and jQuery UI to a more recent version. Required by: Backbone (enabled), Backbone Services (disabled), Backbone Example (disabled), Backbone RestWS (disabled), Backbone RestWS Examples (disabled), VIE.js (enabled), IKScE Annotate (enabled), VIE.js autocomplete (enabled), IKScE Demo (enabled), IKScE Content (disabled)	Configure
<input type="checkbox"/>	Wysiwyg	7.x-2.2	Allows to edit content with client-side editors. Required by: IKScE Demo (enabled), IKScE Content (disabled)	Configure